synerlogic Carclin Degreaser Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 19-2-2020 Revision date: 17-2-2020 Version: 1.0

		los terres and a faller a	· · · · · · · · / · · · · · · · · · · ·	
	ntification of the substance	/mixture and of the c	company/undertaking	
L.1. Product iden Product form	tifier	: Mixture		
Product name				
		: Carclin Degreaser	• • • .	
L.2. Relevant ide	ntified uses of the substance o	or mixture and uses adv	ised against	
L.2.1. Relevant ide	ntified uses			
Main use category		: Professional use		
Function or use cate	gory	: Cleaning/washing agent	s and additives	
L.2.2. Uses advised	against			
No additional inform	-			
L.3. Details of the Synerlogic B.V.	e supplier of the safety data sh	leet		
Graafsingel 22 5921 RT Duiven - Ne	darland			
F +31 (0) 26 - 318670				
. ,				
L.4. Emergency t	elephone number			
Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information	PO Box 1297	+353 1 809 2566 (Healthcare	
	Centre	Beaumont Road	professionals-24/7)	
	Beaumont Hospital	9 Dublin	+353 1 809 2166 (public, 8am -	
			10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital	+356 2545 6504	
		MSD Msida		
Listed Kinged	Counter 0. Ct. The surgeral Desig	Averal ave Deced		
United Kingdom	Guy's & St Thomas' Poisons Unit	Avonley Road	+44 20 7188 7188	
		SE14 5ER London		
	Medical Toxicology Unit, Guy's			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

& St Thomas' Hospital Trust

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No	. 1272/2008 [CLP]Extra labelling to displayExtra classification(s) to display
---	---

:

Hazard pictograms (CLP)

	GHS05
Signal word (CLP)	: Danger
Hazardous ingredients	: Sodium metasilicate pentahydrate; Tetrasodium ethylene diamine tetraacetate; C9-11 Alcoholethoxylaat
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.
17-2-2020 (Version: 1.0)	EN (Englich)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP)	: P260 - Do not breathe vapours, gas, mist, fume, spray, dust.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water or shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER, a doctor.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
2.3. Other hazards	

3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients 3.1. Substances Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
C9-11 Alcoholethoxylaat	(CAS-No.) 68439-46-3 (REACH-no) Polymer	5 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium xylenesulphonate	(CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56	< 10	Eye Irrit. 2, H319
Tetrasodium ethylene diamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
Sodium metasilicate pentahydrate	(CAS-No.) 10213-79-3 (EC-No.) 229-912-9 (REACH-no) 01-2119449811-37	< 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Sodium nitrite	(CAS-No.) 7632-00-0 (EC-No.) 231-555-9 (REACH-no) 01-2119471836-27	< 5	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2, H319 Aquatic Acute 1, H400

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general		Call a physician immediately. Get medical advice/attention if you feel unwell. IF ex concerned: Get medical advice/attention. Call a poison center or a doctor if you fe	•
First-aid measures after inhalation	: R	Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	T O	Rinse skin with water/shower. Wash skin with plenty of water. Take off contamina Take off immediately all contaminated clothing. Call a physician immediately. If sl occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical Idvice/attention.	0
First-aid measures after eye contact	c	Rinse eyes with water as a precaution. Rinse cautiously with water for several min contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists dvice/attention. Call a physician immediately.	
First-aid measures after ingestion		Rinse mouth. Do not induce vomiting. Call a physician immediately. Call a poison loctor if you feel unwell.	center or a
17-2-2020 (Version: 1.0)	E	N (English)	2/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after skin contact Burns. : Symptoms/effects after eye contact : Serious damage to eyes. Symptoms/effects after ingestion Burns. : 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. **SECTION 5: Firefighting measures** 5.1. Extinguishing media Suitable extinguishing media Water spray. Dry powder. Foam. Carbon dioxide. : 5.2. Special hazards arising from the substance or mixture Hazardous decomposition products in case of fire Toxic fumes may be released. 5.3. Advice for firefighters Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing : apparatus. Complete protective clothing. **SECTION 6: Accidental release measures** 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe **Emergency procedures** dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. 6.1.2. For emergency responders Do not attempt to take action without suitable protective equipment. For further information Protective equipment refer to section 8: "Exposure controls/personal protection". **6.2. Environmental precautions** Avoid release to the environment. 6.3. Methods and material for containment and cleaning up Take up liquid spill into absorbent material. Methods for cleaning up Other information Dispose of materials or solid residues at an authorized site. : 6.4. Reference to other sections For further information refer to section 13. **SECTION 7: Handling and storage** 7.1. Precautions for safe handling Precautions for safe handling Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe : dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions Store locked up. Store in a well-ventilated place. Keep cool. 7.3. Specific end use(s) No additional information available **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters Tetrasodium ethylene diamine tetraacetate (64-02-8) **DNEL/DMEL (Workers)** 2,8 mg/m³ Acute - local effects, inhalation **DNEL/DMEL (General population)** 1,7 Acute - systemic effects, inhalation

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Tetrasodium ethylene diamine tetraacetate (64-02-8)				
Long-term - systemic effects,oral	28 mg/kg bodyweight/day			
PNEC (Water)				
PNEC aqua (freshwater)	2,8 mg/l			
PNEC aqua (marine water)	0,28 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	0,95 mg/kg dwt			
PNEC (STP)				
PNEC sewage treatment plant	57 mg/l			
Sodium metasilicate pentahydrate (10213-79-3)			
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal	1,49 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	6,22 mg/m ³			
DNEL/DMEL (General population)				
Long-term - systemic effects,oral	0,74 mg/kg bodyweight/day			
Long-term - systemic effects, dermal	0,74 mg/kg bodyweight/day			
PNEC (Water)				
PNEC aqua (freshwater)	7,5 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC aqua (intermittent, freshwater)	7,5 mg/l			
PNEC (STP)				
PNEC sewage treatment plant	1000 mg/l			
.2. Exposure controls				
ppropriate engineering controls:				

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Materials for protective clothing:				
Condition	Material	Standard		
Good resistance:	Synthetic rubber	EN 13034		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hand protection:								
protective gloves								
Туре	Material		Permeation	Thickness (mm)	Penetratio	on	Standard	
Reusable gloves	Neoprene rubber (HNBR)		6 (> 480 minutes)	0,25 mm			EN ISO 374	
Reusable gloves	Nitrile rubb	er (NBR)	6 (> 480 minutes)	> 0,31 mm			EN ISO 374	
Eye protection:								
Safety glasses								
Туре		Use		Characteristics	Characteristics		Standard	
Safety glasses		Fine dust, Dust, Droplet		With side shields	With side shields			
Skin and body prot	ection:							
Wear suitable protec	ctive clothing							
Respiratory protec	tion:							
In case of insufficien	t ventilation, we	ear suitable	respiratory equipment					
Device	evice Filter type		Condition	Condition				
Reusable half mask Type P2, Type P3 Protection for Solid particle					rticles	EN 149		

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

	S
emical p	properties
:	Liquid
:	brown.
:	characteristic.
:	No data available
:	11,5
:	3 %
:	No data available
:	Not applicable
:	No data available
:	No data available
:	> 100 °C
:	No data available
:	No data available
:	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Vapour pressure	: 23 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,07 g/cm ³
Solubility	: completely miscible.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity 10.1. Reactivity	
The product is non-reactive under normal conditions of use, storage and transport.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal conditions of use.	
10.4. Conditions to avoid	
None under recommended storage and handling conditions (see section 7).	
10.5. Incompatible materials	
No additional information available	
10.6 Hazardous decomposition products	

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological informatio	n		
11.1. Information on toxicological effects			
Acute toxicity (oral)	:	Not classified	
Acute toxicity (dermal)	:	Not classified	
Acute toxicity (inhalation)	:	Not classified	
Sodium nitrite (7632-00-0)			
LD50 oral rat		180 mg/kg	

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LD50 oral	1780 mg/kg bodyweight

Sodium xylenesulphonate (1300-72-7)	
LD50 oral	> 7000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

Sodium metasilicate pentahydrate (10213-79-3)	
LD50 oral rat	1152 - 1349 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 2,06 mg/l/4h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

	300 - 2000 mg/kg
	2000 - 5000 mg/kg
:	Causes severe skin burns and eye damage.
	рН: 11,5
:	Causes serious eye damage.
	рН: 11,5
:	Not classified
	:::::::::::::::::::::::::::::::::::::::

12.1. Toxicity Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms. Acute aquatic toxicity : Not classified	n	SECTION 12: Ecological information
		2.1. Toxicity
Acute aquatic toxicity : Not classified	: E	cology - general
	1 :	cute aquatic toxicity
Chronic aquatic toxicity : Not classified	1 :	hronic aquatic toxicity
	Not classified	 Before neutralisation, the product may represent a danger to aquatic orga Not classified

Sodium nitrite (7632-00-0)	
LC50 fish 1	0,54 - 26,3 mg/l (Salmo gairdneri)
LC50 other aquatic organisms 1	4,93 mg/l
EC50 Daphnia 1	15,4 mg/l
EC50 other aquatic organisms 1	421 mg/l (Protozoa)
EC50 72h algae (1)	> 100 mg/l (Scenedesmus subspicatus)

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 fish 1	> 121 mg/l
EC50 other aquatic organisms 1	625 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	2,77 mg/l IC50 algea (72 h) mg/l

Sodium xylenesulphonate (1300-72-7)	
EC50 other aquatic organisms 1	> 1020 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l

	Sodium metasilicate pentahydrate (10213-79-3)	
	LC50 fish 1	210 mg/l (Brachydanio Rerio)
	EC50 Daphnia 1	1700 mg/l (Daphnia Magna)
1	7-2-2020 (Version: 1.0)	EN (English) 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

10 mg/l (Daphnia magna) 10 mg/l (Skeletonema costatum) 3,17 spose of contents/container in accordance with licensed collector's sorting instructions. N 1719 AUSTIC ALKALI LIQUID, N.O.S.
10 mg/l (Skeletonema costatum) 3,17 spose of contents/container in accordance with licensed collector's sorting instructions. N1719
3,17 spose of contents/container in accordance with licensed collector's sorting instructions.
spose of contents/container in accordance with licensed collector's sorting instructions.
spose of contents/container in accordance with licensed collector's sorting instructions.
spose of contents/container in accordance with licensed collector's sorting instructions.
spose of contents/container in accordance with licensed collector's sorting instructions.
spose of contents/container in accordance with licensed collector's sorting instructions.
N 1719
AUSTIC ALKALI LIQUID, N.O.S.
N 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide, Disodium trioxosilicate), 8, II, (E
0
o supplementary information available
5
4
4
2
-)01, IBC02
P15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Portable tank and bulk container instructions (ADR)	:	T11
Portable tank and bulk container special provisions (ADR)	:	TP2, TP27
Tank code (ADR)	:	L4BN
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	2
Hazard identification number (Kemler No.)	:	80
Orange plates	:	80
		1719
Tunnel restriction code (ADR)	:	E
EAC code	:	2R

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

Germany

Reference to AwSV	:	Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Netherlands		
Waterbezwaarlijkheid	:	9 - Harmful to aquatic organisms
Saneringsinspanningen	:	B - Lozing minimaliseren; toepassen van best uitvoerbare technieken
SZW-lijst van kankerverwekkende stoffen	:	None of the components are listed
SZW-lijst van mutagene stoffen	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

containing to Regulation (EC) N	. 1501/2000 (KERCH)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative
ata sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 200 classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/54

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:				
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3			
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Met. Corr. 1	Corrosive to metals, Category 1			
Ox. Sol. 2	Oxidising Solids, Category 2			
Skin Corr. 1	Skin corrosion/irritation, Category 1			
Skin Corr. 1B	Skin corrosion/irritation, Category 1B			
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2			
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation			
H272	May intensify fire; oxidiser.			
H290	May be corrosive to metals.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H314	Causes severe skin burns and eye damage.			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product