synerlogic Carclin PowderPlus

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 20-2-2020 Version: 1.0

SECTION 1: Ide	ntification of the substance	/mixture and of t <u>he co</u> r	mpany/undertaking		
1.1. Product iden		, 			
Product form		: Mixture			
Product name		: Carclin PowderPlus			
1.2. Relevant ide	ntified uses of the substance o	or mixture and uses advise	ed against		
1.2.1. Relevant ide	ntified uses				
Main use category		: Professional use			
Function or use cate	egory	: Cleaning/washing agents a	nd additives		
1.2.2. Uses advised	against				
No additional inform	nation available				
1.3. Details of the	e supplier of the safety data sh	leet			
Synerlogic B.V.					
Graafsingel 22					
6921 RT Duiven - Ne	derland				
T +31 (0) 26 - 318670	0				
1.4. Emergency t	elephone number				
Country	Organisation/Company	Address	Emergency number	Comment	
Ireland	National Poisons Information Centre	PO Box 1297 Beaumont Road	+353 1 809 2566 (Healthcare professionals-24/7)		
	Beaumont Hospital	9 Dublin	+353 1 809 2166 (public, 8am - 10pm, 7/7)		
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504		
United Kingdom	Guy's & St Thomas' Poisons Unit	Avonley Road SE14 5ER London	+44 20 7188 7188		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Hazardous to the aquatic environment — Chronic Hazard, Category 4	H413
Full text of H statements : see section 16	

Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust

Adverse physicochemical, human health and environmental effects

May cause respiratory irritation. Causes serious eye damage. May cause long lasting harmful effects to aquatic life.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



Signal word (CLP) Hazardous ingredients

Sodium Tripolyphosphate; Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts

Danger

:

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hazard statements (CLP)	: H318 - Causes serious eye damage. H335 - May cause respiratory irritation. H413 - May cause long lasting harmful effects to aquatic life.
Precautionary statements (CLP)	 P261 - Avoid breathing vapours, gas, mist, spray, fume, dust. P273 - Avoid release to the environment. P280 - Wear protective gloves, face protection, protective clothing, eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
2.3. Other hazards	

No additional information available

SECTION 3: Composition/information on ingredients
3.1. Substances
Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Tripolyphosphate	(CAS-No.) 7758-29-4 (EC-No.) 231-838-7 (REACH-no) 01-2119430450-54	50 - 80	Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 4, H413
Sodium carbonate	(CAS-No.) 497-19-8 (EC-No.) 207-838-8 (EC Index-No.) 011-005-00-2 (REACH-no) 01-2119485498-19	5 - 10	Eye Irrit. 2, H319
	(CAS-No.) 7722-88-5 (EC-No.) 231-767-1 (REACH-no) 01-2119489794-17	5 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
	(CAS-No.) 10101-89-0 (EC-No.) 231-509-8 (REACH-no) 01-2119489800-32	< 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
DECETH-4	(CAS-No.) 26183-52-8 (REACH-no) Polymer	< 5	Eye Irrit. 2, H319
Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts	(CAS-No.) 68411-30-3 (EC-No.) 270-115-0 (REACH-no) 01-2119489428-22	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	:	Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	:	Wash skin with plenty of water.
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	:	Call a poison center or a doctor if you feel unwell.

Protection during firefighting

according to Regulation (EC) No. 1907/2006 (REACH)			
4.2. Most important symptoms and effects,	both	h acute and delayed	
Symptoms/effects after inhalation	:	May cause respiratory irritation.	
Symptoms/effects after eye contact	:	Serious damage to eyes.	
4.3. Indication of any immediate medical at	tenti	tion and special treatment needed	
Treat symptomatically.			
···· · · · · · · · · · · · · · · · · ·			
SECTION 5: Firefighting measures			
			_
SECTION 5: Firefighting measures	:	Water spray. Dry powder. Foam.	
SECTION 5: Firefighting measures 5.1. Extinguishing media	: nce c		
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	: nce c	or mixture	

:

Do not attempt to take action without suitable protective equipment. Self-contained breathing

	apparatus. Complete protective clothing.
SECTION 6: Accidental release m	easures re equipment and emergency procedures
6.1.1. For non-emergency personnel	e equipment and emergency procedures
Emergency procedures	: Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	inment and cleaning up
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	y incompatibilities

Storage conditions Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. : 7.3. Specific end use(s) No additional information available

SECTION 8: Exposure controls/personal protection 8.1. Control parameters (10101-89-0) **DNEL/DMEL (Workers)** 4,07 mg/m³ Long-term - systemic effects, inhalation **DNEL/DMEL (General population)** 3,04 mg/m³ Long-term - systemic effects, inhalation

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)				
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal	170 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	12 mg/m ³			
Long-term - local effects, inhalation	12 mg/m ³			
DNEL/DMEL (General population)				
Acute - local effects, inhalation	3 mg/m ³			
Long-term - systemic effects,oral	0,85 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	3 mg/m ³			
Long-term - systemic effects, dermal	85 mg/kg bodyweight/day			
PNEC (Water)				
PNEC aqua (freshwater)	0,268 mg/l			
PNEC aqua (marine water)	0,0268 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	8,1 mg/kg dwt			
PNEC sediment (marine water)	8,1 mg/kg dwt			
PNEC (Soil)				
PNEC soil	35 mg/kg dwt			
PNEC (STP)				
PNEC sewage treatment plant	3,43 mg/l			
.2. Exposure controls				

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Materials for protective clothing:						
Condition		Material	Material		Standard	
Good resistance:		Synthetic material		EN 13034	EN 13034	
Hand protection:						
protective gloves						
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard	
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374	
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Eye protection:							
Safety glasses							
Type Use Characteristics Standard							
Safety glasses	Droplet, Fine dust, Dust	With side shields	EN 166				
Skin and body protection:							
Wear suitable protective clothing							
Respiratory protection:							
In case of insufficient ventilation, we	In case of insufficient ventilation, wear suitable respiratory equipment						
Device Filter type Condition Standard							
Reusable half mask Type P2, Type P3 Protection for Solid particles, Protection for Liquid particles EN 149							

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	:	Solid
Colour	:	white.
Odour	:	characteristic.
Odour threshold	:	No data available
рН	:	9,8 - 11
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	No data available
Freezing point	:	Not applicable
Boiling point	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	Non flammable.
Vapour pressure	:	23 hPa
Relative vapour density at 20 °C	:	No data available
Relative density	:	Not applicable
Solubility	:	completely miscible.
Log Pow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

9.2. Other information

No additional information available

CTION 10: Stability and reactivity
1. Reactivity product is non-reactive under normal conditions of use, storage and transport.
2. Chemical stability ble under normal conditions.
3. Possibility of hazardous reactions dangerous reactions known under normal conditions of use.
4. Conditions to avoid
ne under recommended storage and handling conditions (see section 7).
5. Incompatible materials
additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological info	ation	
11.1. Information on toxicological	ects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	

(7722-88-5)	
LD50 oral rat	1624 mg/kg

Sodium carbonate (497-19-8)	
LD50 oral	4090 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	2300 mg/m ³

(10101-89-0)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 0,83 mg/l/4h

Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
LD50 oral	1080 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
Skin corrosion/irritation :	Not classified
	рН: 9,8 - 11
Serious eye damage/irritation :	Causes serious eye damage.
	рН: 9,8 - 11
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Reproductive toxicity	:	Not classified
STOT-single exposure	:	May cause respiratory irritation.
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified

SECTION 12: Ecological informatio	n
12.1. Toxicity	
Ecology - general	: May cause long lasting harmful effects to aquatic life.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: May cause long lasting harmful effects to aquatic life.
Sodium carbonate (497-19-8)	

LC50 fish 1	300 mg/l
EC50 other aquatic organisms 1	265 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l

(10101-89-0)	
EC50 Daphnia 1	> 100 mg/l
EC50 72h algae (1)	> 100 mg/l

Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
LC50 fish 1	1,67 mg/l
EC50 other aquatic organisms 1	2,9 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	127,9 mg/l IC50 algea (72 h) mg/l

12.2. Persistence and degradability

No additional information available 12.3. Bioaccumulative potential

Sodium carbonate (497-19-8)	
Log Pow	-6,19

Log Pow	2,02
12.4. Mobility in soil	
Io additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Vaste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

14.1. UN number		
UN-No. (ADR)	:	Not applicable
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	:	Not applicable
14.3. Transport hazard class(es)		
ADR		
Transport hazard class(es) (ADR)	:	Not applicable
14.4. Packing group		
Packing group (ADR)	:	Not applicable
14.5. Environmental hazards		
Dangerous for the environment	:	No
Other information	:	No supplementary information available
14.6. Special precautions for user		

Overland transport

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

Germany

Reference to AwSV	:	Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Netherlands		
Waterbezwaarlijkheid	:	11 - Weinig schadelijk voor in het water levende organismen
Saneringsinspanningen	:	B - Lozing minimaliseren; toepassen van best uitvoerbare technieken
SZW-lijst van kankerverwekkende stoffen	:	Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts is listed
SZW-lijst van mutagene stoffen	:	Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	None of the components are listed
15.2. Chemical safety assessment		
No chemical safety assessment has been carried out		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 16: Other information

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative
ata sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 Decemb classification, labelling and packaging of substances and mixtures, amending and repealing Directive and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:				
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3			
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation			
H302	Harmful if swallowed.			
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H335	May cause respiratory irritation.			
H412	Harmful to aquatic life with long lasting effects.			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

 H413
 May cause long lasting harmful effects to aquatic life.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product