

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 24-2-2020 Revision date: 24-2-2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Carclin Premax Insect

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 22

6921 RT Duiven - Nederland

T+31(0)26-3186700

1.4. Emergency telephone number

.4. Emergency telephone number				
Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Corrosive to metals, Category 1 H290 Skin corrosion/irritation, Category 1 H314 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



GHS05

Signal word (CLP) Danger

Hazardous ingredients Sodium metasilicate pentahydrate; Tetrasodium ethylene diamine tetraacetate; C9-11

Alcoholethoxylaat; sodium hydroxide; caustic soda

24-2-2020 (Version: 1.0) EN (English) 1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P260 - Do not breathe gas, vapours, mist, dust, spray.

P280 - Wear protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tetrasodium ethylene diamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27	5 - 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
Sodium metasilicate pentahydrate	(CAS-No.) 10213-79-3 (EC-No.) 229-912-9 (REACH-no) 01-2119449811-37	<5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
C9-11 Alcoholethoxylaat	(CAS-No.) 68439-46-3 (REACH-no) Polymer	< 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Imidazoliumverbindingen, 1-[2 (2carboxyethoxy) ethyl] -1 (or 3) - (2-carboxyethyl) -4,5-dihydro-2-nor-kokos-alkyl, hydroxides, disodiumsalts	(CAS-No.) 68604-71-7 (EC-No.) 271-704-5 (REACH-no) 05-2114285325-46	< 5	Eye Irrit. 2, H319
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	<5	Skin Corr. 1A, H314
Isopentyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	<5	Flam. Liq. 3, H226

Specific concentration limits:

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2	(0,5 = <c 2)="" 2,="" <="" h315<="" irrit.="" skin="" td=""></c>
	(EC-No.) 215-185-5	(0,5 = <c 2)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>
	(EC Index-No.) 011-002-00-6	(2 = <c 1b,="" 5)="" <="" corr.="" h314<="" skin="" td=""></c>
	(REACH-no) 01-2119457892-27	(5= <c 100)="" 1a,="" <="" corr.="" h314<="" skin="" td=""></c>

24-2-2020 (Version: 1.0) EN (English) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately. Get medical advice/attention if you feel unwell. IF exposed or

concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing.

Take off immediately all contaminated clothing. Call a physician immediately. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately. Call a poison center or a

doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

24-2-2020 (Version: 1.0) EN (English) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Store in corrosive resistant container with a resistant inner liner. Keep only in original container.

Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials Metals.

7.3. Specific end use(s)

No additional information available

ECTION 8: Exposure controls/personal protection					
3.1. Control parameters	1. Control parameters				
sopentyl acetate (123-92-2)					
EU	IOELV TWA (mg/m	3)	270 mg/m ³		
EU	IOELV STEL (mg/m	n ³)	540 mg/m ³		
Germany	TRGS 910 Accepta	ble concentration notes			
Tetrasodium ethylene diamir	ne tetraacetate (64	I-02-8)			
DNEL/DMEL (Workers)					
Acute - local effects, inhalation	l	2,8 mg/m ³			
DNEL/DMEL (General populat	ion)				
Acute - systemic effects, inhala	tion	1,7			
Long-term - systemic effects,or	ral	28 mg/kg bodyweight/day			
PNEC (Water)					
PNEC aqua (freshwater)		2,8 mg/l			
PNEC aqua (marine water)		0,28 mg/l			
PNEC (Sediment)					
PNEC sediment (freshwater)		0,95 mg/kg dwt			
PNEC (STP)					
PNEC sewage treatment plant		57 mg/l			
sodium hydroxide; caustic so	sodium hydroxide; caustic soda (1310-73-2)				
DNEL/DMEL (Workers)	DNEL/DMEL (Workers)				
Long-term - local effects, inhalation 1 r		1 mg/m³			
DNEL/DMEL (General population)					
Long-term - local effects, inhal	ong-term - local effects, inhalation 1 mg/m ³				
Sodium metasilicate pentahy	Sodium metasilicate pentahydrate (10213-79-3)				
DNEL/DMEL (Workers)					
Long-term - systemic effects, dermal 1,49 mg/kg bodyweight/day					

24-2-2020 (Version: 1.0) EN (English) 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Sodium metasilicate pentahydrate (10213-79-3)			
Long-term - systemic effects, inhalation	6,22 mg/m ³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	0,74 mg/kg bodyweight/day		
Long-term - systemic effects, dermal	0,74 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	7,5 mg/l		
PNEC aqua (marine water)	1 mg/l		
PNEC aqua (intermittent, freshwater)	7,5 mg/l		
PNEC (STP)			
PNEC sewage treatment plant	1000 mg/l		

8.2. Exposure controls

Appropriate engineering controls:

In case of insufficient ventilation, wear suitable respiratory equipment

Materials for prote	ctive clothing:						
Condition			Material		Standard		
Excellent resistance	e: Good resistanc	e:	Synthetic material		EN 13034	EN 13034	
Hand protection:							
Protective gloves							
Туре	Material		Permeation	Thickness (mm)	Penetratio	on	Standard
Reusable gloves	Neoprene ri (HNBR)	ubber	6 (> 480 minutes)	0,25 mm			EN ISO 374
Reusable gloves	Nitrile rubb	er (NBR)	6 (> 480 minutes)	> 0,31 mm			EN ISO 374
Reusable gloves	Polyvinylch	loride (PVC)	6 (> 480 minutes)	0,2 mm			EN ISO 374
Eye protection:							
Safety glasses							
Туре	Use Characteristics Standard						
Safety glasses Droplet, Fine		e dust, Dust With side shields			EN 166		
Skin and body pro	tection:	1				ı	
Wear suitable prote	ctive clothing						

24-2-2020 (Version: 1.0) EN (English) 5/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Device	Filter type	Condition	Standard
Reusable half mask	Type P2, Type P3	Protection for Solid particles	EN 149

Personal protective equipment symbol(s):







Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Yellow.

Odour : No data available
Odour threshold : No data available

Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available

Boiling point : $100\,^{\circ}\text{C}$ Flash point : $> 100\,^{\circ}\text{C}$

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : 23 hPa

Relative vapour density at 20 $^{\circ}\text{C}$: No data available

Relative density : 1,17

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

24-2-2020 (Version: 1.0) EN (English) 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Tetracodium ethy	ylene diamine tetraacetate (64-02-01
i eti asvululli etili	yterie diamine tetraacetate (04-02-01

LD50 oral 1780 mg/kg bodyweight

Imidazoliumverbindingen, 1-[2 (2carboxyethoxy) ethyl] -1 (or 3) - (2-carboxyethyl) -4,5-dihydro-2-nor-kokos-alkyl, hydroxides, disodiumsalts (68604-71-7)

LD50 oral rat > 2000 mg/kg

Isopentyl acetate (123-92-2)	
LD50 oral	16600 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight

Sodium metasilicate pentahydrate (10213-79-3)		
LD50 oral rat	1152 - 1349 mg/kg	
LD50 dermal rat	> 5000 mg/kg	
LC50 inhalation rat (mg/l)	> 2,06 mg/l/4h	

C9-11 Alcoholethoxylaat (68439-46-3)	
LD50 oral rat	300 - 2000 mg/kg
LD50 dermal	2000 - 5000 mg/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 11,5

Serious eye damage/irritation : Causes serious eye damage.

pH: 11,5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

24-2-2020 (Version: 1.0) EN (English) 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Tetrasodium ethylene diamine tetraacetate (64-02-8)		
LC50 fish 1	> 121 mg/l	
EC50 other aquatic organisms 1	625 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	2,77 mg/l IC50 algea (72 h) mg/l	

sodium hydroxide; caustic soda (1310-73-2)	
EC50 Daphnia 1	40,4 mg/l

Isopentyl acetate (123-92-2)	
LC50 fish 1	> 22 mg/l
EC50 other aquatic organisms 1	42 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 100 mg/l IC50 algea (72 h) mg/l

Sodium metasilicate pentahydrate (10213-79-3)	
LC50 fish 1	210 mg/l (Brachydanio Rerio)
EC50 Daphnia 1	1700 mg/l (Daphnia Magna)

C9-11 Alcoholethoxylaat (68439-46-3)	
LC50 fish 1	1 - 10 mg/l
EC50 Daphnia 1	1 - 10 mg/l (Daphnia magna)
EC50 72h algae (1)	1 - 10 mg/l (Skeletonema costatum)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
Log Pow	-13,17

Isopentyl acetate (123-92-2)	
Log Pow	2,25

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

24-2-2020 (Version: 1.0) EN (English) 8/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : UN 1719

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CAUSTIC ALKALI LIQUID, N.O.S.

Transport document description (ADR) : UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Disodium Trioxosilicate, sodium hydroxide), 8, II, (E)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8

:



14.4. Packing group

Packing group (ADR) : II

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR): C5Special provisions (ADR): 274Limited quantities (ADR): 1lExcepted quantities (ADR): E2

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T11
Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR):L4BNVehicle for tank carriage:ATTransport category (ADR):2Hazard identification number (Kemler No.):80

Orange plates :

80 1719

Tunnel restriction code (ADR) : E
EAC code : 2R

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

24-2-2020 (Version: 1.0) EN (English) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV,

Annex 1

12th Ordinance Implementing the Federal Immission :

Control Act - 12.BImSchV

Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid : 11 - Weinig schadelijk voor in het water levende organismen

Saneringsinspanningen : B - Lozing minimaliseren; toepassen van best uitvoerbare technieken

SZW-lijst van kankerverwekkende stoffen : Imidazoliumverbindingen, 1-[2 (2carboxyethoxy) ethyl] -1 (or 3) - (2-carboxyethyl) -4,5-dihydro-2-

nor-kokos-alkyl, hydroxides, disodiumsalts is listed

SZW-lijst van mutagene stoffen : Imidazoliumverbindingen, 1-[2 (2carboxyethoxy) ethyl] -1 (or 3) - (2-carboxyethyl) -4,5-dihydro-2-

nor-kokos-alkyl, hydroxides, disodiumsalts is listed

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen - Borstvoeding

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen - Vruchtbaarheid

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen - Ontwikkeling

None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

ECTION 16: Other information		
Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	

24-2-2020 (Version: 1.0) EN (English) 10/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

24-2-2020 (Version: 1.0) EN (English) 11/11