

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 21-2-2020 Revision date: 21-2-2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Carclin Shampoo Poly Fresh

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

: Cleaning/washing agents and additives Function or use category

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 22

6921 RT Duiven - Nederland

T+31(0)26-3186700

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Corrosive to metals, Category 1 H290 Skin corrosion/irritation, Category 1B H314 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



GHS05

Signal word (CLP) Danger

Potassium hydroxide; Sodium metasilicate pentahydrate; 2-Aminoethanol; Amine, C12-C14 alkyl, Hazardous ingredients

ethoxylated

21-2-2020 (Version: 1.0) EN (English) 1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P260 - Do not breathe vapours, gas, mist, fume, dust, spray.

P280 - Wear protective clothing, eye protection, face protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor. P501 - Dispose of contents and container to Collection point.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	<5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Met. Corr. 1, H290
Sodium-p-cumenesulphonate	(CAS-No.) 15763-76-5 (EC-No.) 239-854-6 (REACH-no) 01-2119489411-37	< 5	Eye Irrit. 2, H319
2-Aminoethanol	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (REACH-no) 01-2119486455-28	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Chronic 3, H412
Sodium metasilicate pentahydrate	(CAS-No.) 10213-79-3 (EC-No.) 229-912-9 (REACH-no) 01-2119449811-37	<5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Poly(oxy-1,2-ethanediyl), .alphatridecylomega hydroxy-, branched	(CAS-No.) 69011-36-5 (REACH-no) Polymer	< 5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Amine, C12-C14 alkyl, ethoxylated	(CAS-No.) 61791-14-8 (REACH-no) Polymer	< 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits	
Potassium hydroxide	(CAS-No.) 1310-58-3	(0,5 = <c 100)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>	
	(EC-No.) 215-181-3	(0,5 = <c 100)="" 2,="" <="" h315<="" irrit.="" skin="" td=""></c>	
	(EC Index-No.) 019-002-00-8	(2 = <c 100)="" 1b,="" <="" corr.="" h314<="" skin="" td=""></c>	
	(REACH-no) 01-2119487136-33	(5 = <c 100)="" 1a,="" <="" corr.="" h314<="" skin="" td=""></c>	

21-2-2020 (Version: 1.0) EN (English) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician

immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container.

Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials : Metals.

7.3. Specific end use(s)

No additional information available

21-2-2020 (Version: 1.0) EN (English) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-Aminoethanol (141-43-5)				
Germany	TRGS 910 Acceptable concentration notes			
Netherlands	Local name	2-Aminoethanol		
Netherlands	Grenswaarde TGG 8H (mg/m³)	2,5 mg/m ³		
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	7,6 mg/m ³		
Netherlands	Remark (MAC)	Н		
		•		

2-Aminoethanol (141-43-5)

PNEC (Water)

PNEC aqua (freshwater)	0,085 mg/l
PNEC aqua (marine water)	0,0085 mg/l

PNEC (Sediment)

PNEC sediment (freshwater)	0,434 mg/kg dwt
PNEC sediment (marine water)	0,434 mg/kg dwt

PNEC (Soil)

PNEC soil	0,367 mg/kg dwt
-----------	-----------------

Sodium metasilicate pentahydrate (10213-79-3)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	1,49 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	6,22 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects,oral	0,74 mg/kg bodyweight/day
Long-term - systemic effects, dermal	0,74 mg/kg bodyweight/day

PNEC (Water)

PNEC (STP)			
PNEC aqua (intermittent, freshwater) 7,5 mg/l			
PNEC aqua (marine water) 1 mg/l			
PNEC aqua (freshwater) 7,5 mg/l			

1000 mg/l

8.2. Exposure controls

Appropriate engineering controls:

PNEC sewage treatment plant

Ensure good ventilation of the work station.

21-2-2020 (Version: 1.0) EN (English) 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Materials for protective clothing:							
Condition			Material		Standard	Standard	
Good resistance:		Synthetic material		EN 13034	EN 13034		
Hand protection:							
Protective gloves							
Type Material			Permeation	Thickness (mm)	Penetratio	on	Standard
Disposable gloves Neoprene rubber (HNBR)		6 (> 480 minutes)	0,25 mm			EN ISO 374	
Disposable gloves Nitrile rubber (NBR)		6 (> 480 minutes)	> 0,31 mm			EN ISO 374	
Eye protection:							
Safety glasses							
Type Use				Characteristics		Standard	
Safety glasses Droplet, Dus		st, Fine dust	With side shields	With side shields EN 166			
Skin and body protection:							
Wear suitable protective clothing							
Respiratory protection:							

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Reusable half mask	3	Protection for Solid particles, Protection for Liquid particles	EN 149

Personal protective equipment symbol(s):



pH solution





Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Colour brown. Odour characteristic. Odour threshold No data available рΗ 10,5 - 11,5

Relative evaporation rate (butylacetate=1) No data available Melting point Not applicable

21-2-2020 (Version: 1.0) EN (English) 5/11

1 %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Freezing point : No data available

Boiling point : $100\,^{\circ}\text{C}$ Flash point : $>100\,^{\circ}\text{C}$

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : 23 hPa

Relative vapour density at 20 $^{\circ}\text{C}$: No data available

Relative density : 1,17

Solubility : completely miscible.

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

 $Under \, normal \, conditions \, of \, storage \, and \, use, \, hazardous \, decomposition \, products \, should \, not \, be \, produced.$

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Potassium hydroxide (1310-58-3)	
LD50 oral	333 mg/kg bodyweight

2-Aminoethanol (141-43-5)	
LD50 oral rat	1089 mg/kg
LD50 dermal rabbit	2504 mg/kg
LC50 inhalation rat (mg/l)	1,4 mg/l/4h

Sodium-p-cumenesulphonate (15763-76-5)	
LD50 oral rat	> 7000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

21-2-2020 (Version: 1.0) EN (English) 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Sodium metasilicate pentahydrate (10213-79-3)	
LD50 oral rat	1152 - 1349 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 2,06 mg/l/4h

Poly(oxy-1,2-ethanediyl), .alphatridecylomegahydroxy-, branched (69011-36-5)		
LD50 oral rat > 5000 mg/kg		
LD50 dermal rat		> 2000 mg/kg
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.
		pH: 10,5 - 11,5
Serious eye damage/irritation	:	Causes serious eye damage.
		pH: 10,5 - 11,5
Respiratory or skin sensitisation	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Potassium hydroxide (1310-58-3)	
LC50 fish 1	80 mg/l

2-Aminoethanol (141-43-5)	
LC50 fish 1	349 mg/l (Cyprinus carpio)
EC50 Daphnia 1	65 mg/l
EC50 72h algae (1)	1 mg/l (Pseudokirchneriella subcapitata)

Sodium metasilicate pentahydrate (10213-79-3)	
LC50 fish 1	210 mg/l (Brachydanio Rerio)
EC50 Daphnia 1	1700 mg/l (Daphnia Magna)

21-2-2020 (Version: 1.0) EN (English) 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Poly(oxy-1,2-ethanediyl), .alphatridecylomegahydroxy-, branched (69011-36-5)	
LC50 fish 1	1 - 10 (Leuciscus idus)
EC50 Daphnia 1	1 - 10 (Daphnia magna)
EC50 72h algae (1)	1 - 10 mg/l (Scenedesmus subspicatus)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Potassium hydroxide (1310-58-3)	
Log Pow	-3,88

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : UN 1719

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CAUSTIC ALKALI LIQUID, N.O.S.

Transport document description (ADR) : UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Potassium Hydroxide, Disodium Trioxosilicate), 8, II, (E)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



14.4. Packing group

Packing group (ADR) : II

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5

Special provisions (ADR) : 274

Limited quantities (ADR) : 1l

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions (ADR)

21-2-2020 (Version: 1.0) EN (English) 8/11

T11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR):L4BNVehicle for tank carriage:ATTransport category (ADR):2Hazard identification number (Kemler No.):80

Orange plates

80 1719

Tunnel restriction code (ADR) : E EAC code : 2R

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex

1)

12th Ordinance Implementing the Federal Immission

Control Act - 12.BImSchV

Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid : 7 - Toxic to aquatic organisms

Saneringsinspanningen : B - Lozing minimaliseren; toepassen van best uitvoerbare technieken

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de voortplanting giftige : None of the components are listed

stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige : None of the components are listed

stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting giftige : None of the components are listed

stoffen - Ontwikkeling

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

21-2-2020 (Version: 1.0) EN (English) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

	and 1555/15/20, and amending Regulation (20/10/1501/2000.	
Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

21-2-2020 (Version: 1.0) EN (English) 10/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

21-2-2020 (Version: 1.0) EN (English) 11/11